Atherosclerosis, 86 (1991) 271–273
© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0021-9150/91/$03.50

Author Index (Vol. 86)

Admani, A.K., Mangion, D.M. and Naik, D.R.
Extracranial carotid artery stenosis: prevalence and associated risk factors in elderly stroke patients (86) 31
Akeson, A.L., Woods, C.W., Mosher, L.B., Thomas, C.E. and Jackson, R.L.
Inhibition of IL-1β expression in THP-1 cells by probucol and tocopherol (86) 261
Aliau, S., see Tabacik, C. (86) 123
Althaus, M., see Jaeger, E. (86) 55
Arrol, S., see Mackness, M.I. (86) 193
Assmann, G., see Paulweber, B. (86) 239

Beisiegel, U., see Matthys, E. (86) 183
Bell, F.P., see St. John, L.C. (86) 139
Berlin, E., Judd, J.T., Nair, P.P., Jones, D.Y. and Taylor, P.R.
Dietary fat and hormonal influences on lipoprotein fluidity and composition in premenopausal women (86) 95
Bhatnagar, D., see Mackness, M.I. (86) 193
Bowyer, D.E., see McMurray, H.F. (86) 227
Bruckert, E., see Guo, H.-C. (86) 69
Buchholz, B., see Jaeger, E. (86) 55

Carlson, L.A., see Johansson, J. (86) 111
Chapman, M.J., see Guo, H.-C. (86) 69
Charzewska, J., see Seidell, J.C. (86) 251
Chun-Ling, Z., see Ying-Shan, C. (86) 9
Cigolini, M., see Seidell, J.C. (86) 251
Cooper, J.A., see Miller, G.J. (86) 163
Cremer, P., see Siegrist, J. (86) 211
Cruickshank, J.K., see Miller, G.J. (86) 163
Cruz, A., see Seidell, J.C. (86) 251

De Gennes, J.-L., see Guo, H.-C. (86) 69
Descomps, B., see Tabacik, C. (86) 123
Deslypere, J.-P., see Seidell, J.C. (86) 251
Dudman, N.P.B., Lynch, J., Wang, J. and Wilcken, D.E.L.
Failure to detect homocysteine in the acid-hydrolysed plasmas of recent myocardial infarct patients (86) 201
Durrington, P.N., see Mackness, M.I. (86) 193

Ellsinger, B.-M., see Seidell, J.C. (86) 251

Farriaux, J.-P., see Guo, H.-C. (86) 69
Friedl, W., see Paulweber, B. (86) 239
Funke, H., see Paulweber, B. (86) 239

Georg, W., see Siegrist, J. (86) 211
Gerlach, U., see Jaeger, E. (86) 55
Guo, H.-C., Chapman, M.J., Bruckert, E., Farriaux, J.-P. and De Gennes, J.-L.
Lipoprotein Lp(a) in homozygous familial hypercholesterolemia: density profile, particle heterogeneity and apolipoprotein(a) phenotype (86) 69

Hamsten, A., see Johansson, J. (86) 111
Harty, D., see Mackness, M.I. (86) 193
Hoelzl, B., see Paulweber, B. (86) 239
Hofman, A., see Kok, F.J. (86) 85

Ishola, M., see Mackness, M.I. (86) 193

Jackson, R.L., see Akeson, A.L. (86) 261
Jaeger, E., Rust, S., Roessner, A., Kleinhans, G., Buchholz, B., Althaus, M., Rauterberg, J. and Gerlach, U.
Joint occurrence of collagen mRNA containing cells and macrophages in human atherosclerotic vessels (86) 55
Järvi, L., see Savolainen, M.J. (86) 145
Jauhiainen, M., see Salomaa, V.V. (86) 39
Johansson, J., Nilsson-Ehle, P., Carlson, L.A. and Hamsten, A.
The association of lipoprotein and hepatic lipase activities with high density lipoprotein subclass levels in men with myocardial infarction at a young age (86) 111
Jones, D.Y., see Berlin, E. (86) 95
Judd, J.T., see Berlin, E. (86) 95

Kartovaara, L., see Salomaa, V.V. (86) 39
Keller, C.
LDL-apheresis: results of longterm treatment and vascular outcome (86) 1
Kervinen, K., see Savolainen, M.J. (86) 145
Kesäniemi, Y.A., see Savolainen, M.J. (86) 145
Kleinhans, G., see Jaeger, E. (86) 55
Kok, F.J., Van Poppel, G., Melse, J., Verheul, E., Schouten, E.G., Kruyssen, D.H.C.M. and Hofman, A.
Do antioxidants and polyunsaturated fatty acids have a combined association with coronary atherosclerosis? (86) 85
Korhonen, H.J., see Salomaa, V.V. (86) 39
Koshikawa, T., see Koyama, N. (86) 219
Koyama, N., Koshikawa, T., Morisaki, N., Saito, Y. and Yoshida, S.
Secretion of a potent new migration factor for smooth muscle cells (SMC) by cultured SMC (86) 219
Kruyssen, D.H.C.M., see Kok, F.J. (86) 85
Kurup, P.A., see Latha, M.S. (86) 49

Laakso, M., see Sarlund, H. (86) 17
Labeur, C., see Matthys, E. (86) 183
Labeur, C., see Van Biervliet, J.P. (86) 173
Lamberigts, G., see Matthys, E. (86) 183

Lameire, N., see Matthys, E. (86) 183
Latha, M.S., Vijayammal, P.L. and Kurup, P.A.
Changes in the glycosaminoglycans and glycoproteins in the tissues in rats exposed to cigarette smoke (86) 49
Lynch, J., see Dudman, N.P.B. (86) 201

Mackness, M.I., Harty, D., Bhatnagar, D., Winocour, P.H., Arrol, S., Ishola, M. and Durrington, P.N.
Serum paraoxonase activity in familial hypercholesterolaemia and insulin-dependent diabetes mellitus (86) 193
Mangion, D.M., see Admani, A.K. (86) 31
Martin, J.C., see Miller, G.J. (86) 163
Matthys, E., Schurgers, M., Lamberigts, G., Lameire, N., Vandecasteele, N., Labeur, C., Beisiegel, U. and Rosseneu, M.
Effect of simvastatin treatment on the dyslipoproteinemia in capd patients (86) 183
McMurray, H.F., Parrott, D.P. and Bowyer, D.E.
A standardised method of culturing aortic explants, suitable for the study of factors affecting the phenotypic modulation, migration and proliferation of aortic smooth muscle cells (86) 227
Meade, T.W., see Miller, G.J. (86) 163
Melse, J., see Kok, F.J. (86) 85
Michiels, G., see Van Biervliet, J.P. (86) 173
Miesenboeck, G., see Paulweber, B. (86) 239
Miller, G.J., Martin, J.C., Mitropoulos, K.A., Reeves, B.E.A., Thompson, R.L., Meade, T.W., Cooper, J.A. and Cruickshank, J.K.
Plasma factor VII is activated by postprandial triglyceridaemia, irrespective of dietary fat composition (86) 163
Mitropoulos, K.A., see Miller, G.J. (86) 163
Morisaki, N., see Koyama, N. (86) 219
Mosher, L.B., see Akeson, A.L. (86) 261
Mukhin, D.N., see Orekhov, A.N. (86) 153

Naik, D.R., see Admani, A.K. (86) 31
Nair, P.P., see Berlin, E. (86) 95
Nilsson-Ehle, P., see Johansson, J. (86) 111

Orekhov, A.N., Tertov, V.V. and Mukhin, D.N.
Desialylated low density lipoprotein – naturally occurring modified lipoprotein with atherogenic potency (86) 153

Parrott, D.P., see McMurray, H.F. (86) 227
Patsch, J.R., see Paulweber, B. (86) 239
Paulweber, B., Wiebusch, H., Miesenboeck, G., Funke, H., Assmann, G., Hoelzl, B., Sippl, M.J., Friedl, W., Patsch, J.R. and Sandhofer, F.
Molecular basis of lipoprotein lipase deficiency in two Austrian families with type I hyperlipoproteinemia (86) 239
Pei-Zhen, Z., see Ying-Shan, C. (86) 9
Penttilä, I., see Sarlund, H. (86) 17
Peter, R., see Siegrist, J. (86) 211
Pietinen, P., see Salomaa, V.V. (86) 39
Pyörälä, K., see Sarlund, H. (86) 17

Rantala, M., see Savolainen, M.J. (86) 145
Rantala, T., see Savolainen, M.J. (86) 145
Rauterberg, J., see Jaeger, E. (86) 55
Reeves, B.E.A., see Miller, G.J. (86) 163
Roessner, A., see Jaeger, E. (86) 55
Rosseneu, M., see Matthys, E. (86) 183
Rosseneu, M., see Van Biervliet, J.P. (86) 173
Rust, S., see Jaeger, E. (86) 55

Saito, Y., see Koyama, N. (86) 219
Salomaa, V.V., Jauhiainen, M., Pietinen, P., Korhonen, H.J., Kartovaara, L., Vartiainen, E. and Tuomilehto, J.
Five-year trend in serum HDL-lipoprotein cholesterol in the Finnish population aged 25–64 years. A suggestion of an increase (86) 39
Sandhofer, F., see Paulweber, B. (86) 239
Sarlund, H., Laakso, M., Voutilainen, E., Penttilä, I. and Pyörälä, K.
Familial aggregation of non-insulin dependent diabetes and coronary heart disease are accompanied by different effects on serum lipids, lipoproteins and apolipoproteins (86) 17
Savolainen, M.J., Rantala, M., Kervinen, K., Järvi, L., Suvanto, K., Rantala, T. and Kesäniemi, Y.A.
Magnitude of dietary effects on plasma cholesterol concentration: role of sex and apolipoprotein E phenotype (86) 145
Schouten, E.G., see Kok, F.J. (86) 85
Schurgers, M., see Matthys, E. (86) 183
Seidel, D., see Siegrist, J. (86) 211
Seidell, J.C., Cigolini, M., Deslypere, J.-P., Charzewska, J., Ellsinger, B.-M. and Cruz, A.
Body fat distribution in relation to serum lipids and blood pressure in 38-year-old European men: the European fat distribution study (86) 251
Siegrist, J., Peter, R., Georg, W., Cremer, P. and Seidel, D.
Psychosocial and biobehavioral characteristics of hypertensive men with elevated atherogenic lipids (86) 211
Sippl, M.J., see Paulweber, B. (86) 239
St. John, L.C. and Bell, F.P.
Arterial lipid biochemistry in the spontaneously hyperlipidemic Zucker rat and its similarity to early atherogenesis (86) 139
Suvanto, K., see Savolainen, M.J. (86) 145

Tabacik, C., Valentin, J.-P., Aliau, S. and Descomps, B.
Active cholesterol biosynthesis in cultured aortic smooth muscle cells: evolution during the life-span of the culture (86) 123
Taylor, P.R., see Berlin, E. (86) 95
Tertov, V.V., see Orekhov, A.N. (86) 153
Thomas, C.E., see Akeson, A.L. (86) 261
Thompson, R.L., see Miller, G.J. (86) 163
Tuomilehto, J., see Salomaa, V.V. (86) 39

Usher, D.C., see Van Biervliet, J.P. (86) 173

Valentin, J.-P., see Tabacik, C. (86) 123
Van Biervliet, J.P., Labeur, C., Michiels, G., Usher, D.C. and Rosseneu, M.
Lipoprotein(a) profiles and evolution in newborns (86) 173

Vandecasteele, N., see Matthys, E. (86) 183
Van Poppel, G., see Kok, F.J. (86) 85
Vartiainen, E., see Salomaa, V.V. (86) 39
Verheul, E., see Kok, F.J. (86) 85
Vijayammal, P.L., see Latha, M.S. (86) 49
Voutilainen, E., see Sarlund, H. (86) 17

Wang, J., see Dudman, N.P.B. (86) 201
Wiebusch, H., see Paulweber, B. (86) 239
Wilcken, D.E.L., see Dudman, N.P.B. (86) 201
Winocour, P.H., see Mackness, M.I. (86) 193
Woods, C.W., see Akeson, A.L. (86) 261

Ying-Shan, C., Chun-Ling, Z., Pei-Zhen, Z. and Zhuo-Lin, D. Human aortic proteoglycans of subjects from districts of high and low prevalence of atherosclerosis in China (86) 9
Yoshida, S., see Koyama, N. (86) 219

Zhuo-Lin, D., see Ying-Shan, C. (86) 9

Atherosclerosis, 86 (1991) 274–275
© 1991 Elsevier Scientific Publishers Ireland, Ltd. 0021-9150/91/$03.50

Subject Index (Vol. 86)

ACAT, (86) 139
Angiography, (86) 85
Anthropometry, (86) 251
Antioxidant, (86) 85
Aorta, (86) 123
Apo(a) phenotype, (86) 69
Apo B100, (86) 69; (86) 173
Apo E, (86) 183
Apolipoprotein(a), (86) 69
Apolipoprotein E, (86) 145
Artery, (86) 139
Atherogenesis, (86) 261
Atherogenicity, (86) 153
Atherogenic lipids, (86) 211
Atherosclerosis, (86) 17; (86) 55; (86) 139; (86) 145; (86) 153; (86) 227
Autocrine system, (86) 219

Blood pressure, (86) 251
Blood rheology, (86) 1

Cardiovascular outcome, (86) 1
Chemotactic factor, (86) 219
Cholesterol, (86) 139; (86) 145; (86) 251
Cholesterol accumulation, (86) 153
Cholesterol synthesis, (86) 123
Chondroitin sulfate, (86) 9
Chondroitin sulfate proteoglycan, (86) 9
Cigarette smoke, (86) 49
Collagen mRNA, (86) 55
Co-manifestation, (86) 211
Continuous ambulatory peritoneal dialysis (CAPD): Dyslipoproteinemia, (86) 183
Coronary atherosclerosis, (86) 85
Coronary heart disease, (86) 145
Cultured cells, (86) 153

Density gradient fractionation, (86) 69
Dermatan sulfate, (86) 9
Diabetes mellitus, (86) 17
Diet, (86) 145; (86) 173
Dietary fat, (86) 95
Dietary fat composition, (86) 163
Direct genomic sequencing, (86) 239
Diurnal variation, (86) 163

Elastase, (86) 227
Elderly, (86) 31
Explants, (86) 227
Extracranial carotid artery stenosis, (86) 31

Factor VII activity, (86) 163
Familial hypercholesterolemia, (86) 1; (86) 193
Fat distribution, (86) 251

Gelchromatography, (86) 173
Glycoproteins, (86) 49
Glycosaminoglycans, (86) 49

HDL_E, (86) 183
HDL-cholesterol, (86) 39
Heparan sulfate proteoglycan, (86) 9
Heparin, (86) 227
Heparinase, (86) 227
High density lipoprotein subclasses, (86) 111
Homocysteine, (86) 201
Homocystinuria, (86) 201
Homozygous familial hypercholesterolemia, (86) 69
Hormonal influence, (86) 95
Human aorta, (86) 9
Hypercholesterolemia, (86) 145; (86) 183
Hyperlipidemia, (86) 139
Hyperlipidic serum, (86) 227
Hypertension, (86) 211

Immunocytochemistry, (86) 55
Inheritance, (86) 17
In situ hybridization, (86) 55
Insulin-dependent diabetes mellitus, (86) 193
Interleukin-1, (86) 261
Intimal thickening, (86) 219

LDL-apheresis, (86) 1
Lipase activities, (86) 111
Lipase protein structure, (86) 239
Lipid peroxidation, (86) 85
Lipids, (86) 251
Lipoprotein composition, (86) 95
Lipoprotein lipase deficiency, (86) 239
Lipoprotein lipase gene, (86) 239
Lipoprotein Lp(a), (86) 69
Lipoproteins, (86) 39; (86) 95; (86) 173; (86) 193
Low density lipoprotein, (86) 153
Lp(a), (86) 173

Macrophages, (86) 55
Migration, (86) 227
Modified lipoprotein, (86) 153
Monoclonal antibodies, (86) 69
Myocardial infarct, (86) 201
Myocardial infarction, (86) 111

Neuraminidase, (86) 153
Newborn, (86) 173

Obesity, (86) 251
Occupational stress, (86) 211
Overweight, (86) 211

Paraoxonase, (86) 193
Particle heterogeneity, (86) 69
Particle size, (86) 69
Phenotypic change, (86) 227
Plasma amino acids, (86) 201
Plasma electrophoresis, (86) 201
Plasma hydrolysis, (86) 201
Plasma lipoproteins, (86) 163
Polymerase-chain reaction, (86) 239
Polyunsaturated fatty acid, (86) 85
Population surveys, (86) 39
Premenopausal women, (86) 95
Prevalence, (86) 31
Prevalence of atherosclerosis, (86) 9
Probucol, (86) 261
Proliferation, (86) 227
Proteoglycan, (86) 9

Rabbit, (86) 227
Rats, (86) 49
Risk factors, (86) 17; (86) 31

Selenium, (86) 85
Sex, (86) 145
Sialic acid, (86) 153
Simvastatin, (86) 183
SMC migration, (86) 219
Smoking, (86) 211
Smooth muscle cells, (86) 55; (86) 123; (86) 227
Stroke, (86) 31
Sustained anger, (86) 211

THP-1 cells, (86) 261
Tocopherol, (86) 261
α-Tocopherol, (86) 85
Triglyceride fatty acids, (86) 163
Triglycerides, (86) 145; (86) 251

Zucker rat, (86) 139

(Contents – continued from back cover)

A standardised method of culturing aortic explants, suitable for the study of factors affecting the phenotypic modulation, migration and proliferation of aortic smooth muscle cells
H.F. McMurray, D.P. Parrott and D.E. Bowyer (U.K.) 227

Molecular basis of lipoprotein lipase deficiency in two Austrian families with type I hyperlipoproteinemia
B. Paulweber, H. Wiebusch, G. Miesenboeck, H. Funke, G. Assmann, B. Hoelzl, M.J. Sippl, W. Friedl, J.R. Patsch and F. Sandhofer (Austria, F.R.G.) 239

Body fat distribution in relation to serum lipids and blood pressure in 38-year-old European men: the European fat distribution study
J.C. Seidell, M. Cigolini, J.-P. Deslypere, J. Charzewska, B.-M. Ellsinger and A. Cruz (The Netherlands, Italy, Belgium, Poland, Sweden, Portugal) 251

Inhibition of IL-1β expression in THP-1 cells by probucol and tocopherol
A.L. Akeson, C.W. Woods, L.B. Mosher, C.E. Thomas and R.L. Jackson (U.S.A.) 261

Author Index (Vol. 86) 271

Subject Index (Vol. 86) 274